

**Great Plains Industries, Inc.**

5252 E. 36th St. N.

Wichita, KS 67220

Tel: 888-996-3837

Fax: 316-686-6746

Email: [meters@gplains.com](mailto:meters@gplains.com)**G Series GFT Stainless Steel Precision Flowmeters with 150# RF ANSI Flange Fittings**

The GFT stainless steel precision flowmeters are available with 150# RF ANSI Flange fittings, tungsten carbide shaft/sleeve/thrust bearings. These meters are available in ¼ in, 1 in, 1 ½ in, 2 in. and 3 in. models.

**Quick Links:**

- Standard GFT Meters
- High Temperature GFT Meters
- Extended Range GFT Meters

Watch How To Calibrate an 09 Computer Display on YouTube.

Watch How To Convert your 09 Computer Display from Local to Remote on YouTube.

**Ready to Buy? Find a GPI Distributor in your area!**

Results 1 - 35 of 35

| Item #      | Design Type | Inner Diameter | Fitting                      | Flow Range                     | Display                 | Reads             | Popularity          |
|-------------|-------------|----------------|------------------------------|--------------------------------|-------------------------|-------------------|---------------------|
| GFT-075S2-5 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | <b>Most Popular</b> |
| GFT-075S2-6 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-075S2-7 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | No Display              | No Calibration    | N/A                 |
| GFT-075S2-8 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | No Display              | No Calibration    | N/A                 |
| GFT-075SX-X | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | No Display              | Turbine Only      | N/A                 |
| GFT-075EX-X | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 2.3 to 23 GPM<br>8.7 to 87 LPM | No Display              | Turbine Only      | N/A                 |
| GFT-075E2-5 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 2.3 to 23 GPM<br>8.7 to 87 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-075E2-6 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 2.3 to 23 GPM<br>8.7 to 87 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-075E2-7 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 2.3 to 23 GPM<br>8.7 to 87 LPM | No Display              | No Calibration    | N/A                 |
| GFT-075E2-8 | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 2.3 to 23 GPM<br>8.7 to 87 LPM | No Display              | No Calibration    | N/A                 |
| GFT-75EHX-X | Turbine     | ¼ in.          | 150# RF ANSI Flange<br>¼ in. | 2.3 to 23 GPM<br>8.7 to 87 LPM | No Display              | Turbine Only      | N/A                 |

|             |         |         |                                |                                    |                         |                   |                     |
|-------------|---------|---------|--------------------------------|------------------------------------|-------------------------|-------------------|---------------------|
| GFT-075HX-X | Turbine | ¾ in.   | 150# RF ANSI Flange<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | No Display              | Turbine Only      | N/A                 |
| GFT-100S2-5 | Turbine | 1 in.   | 150# RF ANSI Flange<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | LCD - GG510 Transmitter | Gallons<br>Litres | <b>Most Popular</b> |
| GFT-100S2-6 | Turbine | 1 in.   | 150# RF ANSI Flange<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | LCD - GX510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-100S2-7 | Turbine | 1 in.   | 150# RF ANSI Flange<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | No Calibration    | N/A                 |
| GFT-100S2-8 | Turbine | 1 in.   | 150# RF ANSI Flange<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | No Calibration    | N/A                 |
| GFT-100SX-X | Turbine | 1 in.   | 150# RF ANSI Flange<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | Turbine Only      | N/A                 |
| GFT-100HX-X | Turbine | 1 in.   | 150# RF ANSI Flange<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | Turbine Only      | N/A                 |
| GFT-150S2-5 | Turbine | 1 ½ in. | 150# RF ANSI Flange<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | <b>Most Popular</b> |
| GFT-150S2-6 | Turbine | 1 ½ in. | 150# RF ANSI Flange<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-150S2-7 | Turbine | 1 ½ in. | 150# RF ANSI Flange<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | No Calibration    | N/A                 |
| GFT-150S2-8 | Turbine | 1 ½ in. | 150# RF ANSI Flange<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | No Calibration    | N/A                 |
| GFT-150SX-X | Turbine | 1 ½ in. | 150# RF ANSI Flange<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | Turbine Only      | N/A                 |
| GFT-150HX-X | Turbine | 1 ½ in. | 150# RF ANSI Flange<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | Turbine Only      | N/A                 |
| GFT-200S2-5 | Turbine | 2 in.   | 150# RF ANSI Flange<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | <b>Most Popular</b> |
| GFT-200S2-6 | Turbine | 2 in.   | 150# RF ANSI Flange<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-200S2-7 | Turbine | 2 in.   | 150# RF ANSI Flange<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | No Calibration    | N/A                 |
| GFT-200S2-8 | Turbine | 2 in.   | 150# RF ANSI Flange<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | No Calibration    | N/A                 |
| GFT-200SX-X | Turbine | 2 in.   | 150# RF ANSI Flange<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | Turbine Only      | N/A                 |
| GFT-200HX-X | Turbine | 2 in.   | 150# RF ANSI Flange<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | Turbine Only      | N/A                 |
| GFT-300S2-5 | Turbine | 3 in.   | 150# RF ANSI Flange<br>3 in.   | 60 to 600 GPM<br>227.1 to 2271 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | <b>Most Popular</b> |
| GFT-300S2-6 | Turbine | 3 in.   | 150# RF ANSI Flange<br>3 in.   | 60 to 600 GPM<br>227.1 to 2271 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | N/A                 |
| GFT-300S2-7 | Turbine | 3 in.   | 150# RF ANSI Flange<br>3 in.   | 60 to 600 GPM<br>227.1 to 2271 LPM | No Display              | No Calibration    | N/A                 |
| GFT-300S2-8 | Turbine | 3 in.   | 150# RF ANSI Flange<br>3 in.   | 60 to 600 GPM<br>227.1 to 2271 LPM | No Display              | No Calibration    | N/A                 |
| GFT-300SX-X | Turbine | 3 in.   | 150# RF ANSI Flange<br>3 in.   | 60 to 600 GPM<br>227.1 to 2271 LPM | No Display              | Turbine Only      | N/A                 |