

**Great Plains Industries, Inc.**

5252 E. 36th St. N.

Wichita, KS 67220

Tel: 888-996-3837

Fax: 316-686-6746

Email: [meters@gplains.com](mailto:meters@gplains.com)**G Series GNT Stainless Steel Precision Flowmeters with NPT Fittings**

The GNT stainless steel precision flowmeters are available with NPT fittings. These meters are available in ½ in, ¾ in, 1 in, 1 ½ in, 2 in. and 3 in. models.

**Quick Links:**

- Standard GNT Meters
- High Temperature GNT Meters
- Extended Range GNT Meters

Watch How To Calibrate an 09 Computer Display on YouTube.

Watch How To Convert your 09 Computer Display from Local to Remote on YouTube.

**Ready to Buy? Find a GPI Distributor in your area!**

Results 1 - 41 of 41

| Item #      | Design Type | Inner Diameter | Fitting      | Flow Range                     | Display                 | Reads             | Pressure Rating     | Popularity          |
|-------------|-------------|----------------|--------------|--------------------------------|-------------------------|-------------------|---------------------|---------------------|
| GNT-051S1-5 | Turbine     | ½ in.          | NPT<br>½ in. | 0.8 to 6 GPM<br>3.0 to 22 LPM  | LCD - GG510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | <b>Most Popular</b> |
| GNT-051S1-6 | Turbine     | ½ in.          | NPT<br>½ in. | 0.8 to 6 GPM<br>3.0 to 22 LPM  | LCD - GX510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A                 |
| GNT-051S1-7 | Turbine     | ½ in.          | NPT<br>½ in. | 0.8 to 6 GPM<br>3.0 to 22 LPM  | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A                 |
| GNT-051S1-8 | Turbine     | ½ in.          | NPT<br>½ in. | 0.8 to 6 GPM<br>3.0 to 22 LPM  | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A                 |
| GNT-051SX-X | Turbine     | ½ in.          | NPT<br>½ in. | 0.8 to 6 GPM<br>3.0 to 22 LPM  | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A                 |
| GNT-051HX-X | Turbine     | ½ in.          | NPT<br>½ in. | 0.8 to 6 GPM<br>3.0 to 22 LPM  | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A                 |
| GNT-075S2-5 | Turbine     | ¾ in.          | NPT<br>¾ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | <b>Most Popular</b> |
| GNT-075S2-6 | Turbine     | ¾ in.          | NPT<br>¾ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A                 |
| GNT-075S2-7 | Turbine     | ¾ in.          | NPT<br>¾ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A                 |
| GNT-075S2-8 | Turbine     | ¾ in.          | NPT<br>¾ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A                 |
| GNT-075SX-X | Turbine     | ¾ in.          | NPT<br>¾ in. | 1.6 to 16 GPM<br>6.0 to 60 LPM | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A                 |

|             |         |         |                |                                    |                         |                   |                     |              |
|-------------|---------|---------|----------------|------------------------------------|-------------------------|-------------------|---------------------|--------------|
| GNT-075EX-X | Turbine | ¾ in.   | NPT<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-075E2-5 | Turbine | ¾ in.   | NPT<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | LCD - GG510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A          |
| GNT-075E2-6 | Turbine | ¾ in.   | NPT<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | LCD - GX510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A          |
| GNT-075E2-7 | Turbine | ¾ in.   | NPT<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-075E2-8 | Turbine | ¾ in.   | NPT<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-75EHX-X | Turbine | ¾ in.   | NPT<br>¾ in.   | 2.3 to 23 GPM<br>8.7 to 87 LPM     | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-075HX-X | Turbine | ¾ in.   | NPT<br>¾ in.   | 1.6 to 16 GPM<br>6.0 to 60 LPM     | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-100S2-5 | Turbine | 1 in.   | NPT<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | LCD - GG510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | Most Popular |
| GNT-100S2-6 | Turbine | 1 in.   | NPT<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | LCD - GX510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A          |
| GNT-100S2-7 | Turbine | 1 in.   | NPT<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-100S2-8 | Turbine | 1 in.   | NPT<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-100SX-X | Turbine | 1 in.   | NPT<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-100HX-X | Turbine | 1 in.   | NPT<br>1 in.   | 6.7 to 67 GPM<br>25.2 to 252 LPM   | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-150S2-5 | Turbine | 1 ½ in. | NPT<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | Most Popular |
| GNT-150S2-6 | Turbine | 1 ½ in. | NPT<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A          |
| GNT-150S2-7 | Turbine | 1 ½ in. | NPT<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-150S2-8 | Turbine | 1 ½ in. | NPT<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-150SX-X | Turbine | 1 ½ in. | NPT<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-150HX-X | Turbine | 1 ½ in. | NPT<br>1 ½ in. | 17.7 to 177 GPM<br>67.0 to 670 LPM | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-200S2-5 | Turbine | 2 in.   | NPT<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | Most Popular |
| GNT-200S2-6 | Turbine | 2 in.   | NPT<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | 5000 PSI<br>340 bar | N/A          |
| GNT-200S2-7 | Turbine | 2 in.   | NPT<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-200S2-8 | Turbine | 2 in.   | NPT<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | No Calibration    | 5000 PSI<br>340 bar | N/A          |
| GNT-200SX-X | Turbine | 2 in.   | NPT<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |
| GNT-200HX-X | Turbine | 2 in.   | NPT<br>2 in.   | 33 to 330 GPM<br>125.0 to 1250 LPM | No Display              | Turbine Only      | 5000 PSI<br>340 bar | N/A          |

|             |         |       |              |                                    |                         |                   |                     |                     |
|-------------|---------|-------|--------------|------------------------------------|-------------------------|-------------------|---------------------|---------------------|
| GNT-300S2-5 | Turbine | 3 in. | NPT<br>3 in. | 60 to 600 GPM<br>227.1 to 2271 LPM | LCD - GG510 Transmitter | Gallons<br>Litres | 2500 PSI<br>170 bar | <b>Most Popular</b> |
| GNT-300S2-6 | Turbine | 3 in. | NPT<br>3 in. | 60 to 600 GPM<br>227.1 to 2271 LPM | LCD - GX510 Transmitter | Gallons<br>Litres | 2500 PSI<br>170 bar | N/A                 |
| GNT-300S2-7 | Turbine | 3 in. | NPT<br>3 in. | 60 to 600 GPM<br>227.1 to 2271 LPM | No Display              | No Calibration    | 2500 PSI<br>170 bar | N/A                 |
| GNT-300S2-8 | Turbine | 3 in. | NPT<br>3 in. | 60 to 600 GPM<br>227.1 to 2271 LPM | No Display              | No Calibration    | 2500 PSI<br>170 bar | N/A                 |
| GNT-300SX-X | Turbine | 3 in. | NPT<br>3 in. | 60 to 600 GPM<br>227.1 to 2271 LPM | No Display              | Turbine Only      | 2500 PSI<br>170 bar | N/A                 |

Results 1 - 41 of 41